

Entrez PubMed Nucleotide Protein Genome Structure OMIM FMC Journals Book  
 Search PubMed for FGF-8 Go Clear  
 Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 500 Sort Send to Text

Items 1-127 of 127

One page.

Text Version

Entrez PubMed

Overview  
 Help | FAQ  
 Tutorial  
 New/Noteworthy  
 E-Utilities

PubMed Services

Journals Database  
 MeSH Database  
 Single Citation Matcher  
 Batch Citation Matcher  
 Clinical Queries  
 LinkOut  
 Cubby

Related Resources

Order Documents  
 NLM Gateway  
 TOXNET  
 Consumer Health  
 Clinical Alerts  
 ClinicalTrials.gov  
 PubMed Central

Privacy Policy

☐ 1: [Park BK, Sperber SM, Choudhury A, Ghanem N, Hatch GT, Sharpe PT, Thomas BL, Ekker M.](#) [Related Articles, Links](#)



**Intergenic enhancers with distinct activities regulate Dlx gene expression in the mesenchyme of the branchial arches.**

Dev Biol. 2004 Apr 15;268(2):532-45.  
 PMID: 15063187 [PubMed - in process]

☐ 2: [Kawase E, Hashimoto K, Pedersen RA.](#) [Related Articles, Links](#)



**Autocrine and paracrine mechanisms regulating primordial germ cell proliferation.**

Mol Reprod Dev. 2004 May;68(1):5-16.  
 PMID: 15039943 [PubMed - in process]

☐ 3: [Park EK, Warner N, Bong YS, Stapleton D, Maeda R, Pawson T, Daar IO.](#) [Related Articles, Links](#)



**Ectopic EphA4 receptor induces posterior protrusions via FGF signaling in Xenopus embryos.**

Mol Biol Cell. 2004 Apr;15(4):1647-55. Epub 2004 Jan 23.  
 PMID: 14742708 [PubMed - in process]

☐ 4: [Hansen JM, Harris C.](#) [Related Articles, Links](#)



**A novel hypothesis for thalidomide-induced limb teratogenesis: redox misregulation of the NF-kappaB pathway.**

Antioxid Redox Signal. 2004 Feb;6(1):1-14.  
 PMID: 14713331 [PubMed - in process]

☐ 5: [Ashikari-Hada S, Habuchi H, Kariya Y, Itoh N, Reddi AH, Kimata K.](#) [Related Articles, Links](#)



**Characterization of growth factor-binding structures in heparin/heparan sulfate using an octasaccharide library.**

J Biol Chem. 2004 Mar 26;279(13):12346-54. Epub 2004 Jan 05.  
 PMID: 14707131 [PubMed - in process]

☐ 6: [Liu KJ, Harland RM.](#) [Related Articles, Links](#)



**Cloning and characterization of Xenopus Id4 reveals differing roles for Id genes.**

Dev Biol. 2003 Dec 15;264(2):339-51.  
 PMID: 14651922 [PubMed - indexed for MEDLINE]

☐ 7: [Rodriguez-Pallares J, Guerra MJ, Labandeira-Garcia JL.](#) [Related Articles, Links](#)






















**Elimination of serotonergic cells induces a marked increase in generation of dopaminergic neurons from mesencephalic precursors.**





















Eur J Neurosci. 2003 Oct;18(8):2166-74.  
 PMID: 14622177 [PubMed - indexed for MEDLINE]

☐ 8: [Shimizu-Nishikawa K, Takahashi J, Nishikawa A.](#) [Related Articles, Links](#)


**Intercalary and supernumerary regeneration in the limbs of the frog,**


-  **Xenopus laevis.**  
Dev Dyn. 2003 Aug;227(4):563-72.  
PMID: 12889065 [PubMed - indexed for MEDLINE]
-  **9: Reuss B, von Bohlen und Halbach O.** Related Articles, Links
-  **Fibroblast growth factors and their receptors in the central nervous system.**  
Cell Tissue Res. 2003 Aug;313(2):139-57. Epub 2003 Jul 05.  
PMID: 12845521 [PubMed - in process]
-  **10: Granerus M, Engstrom W.** Related Articles, Links
-  **Effects of fibroblast growth factor 8, fibroblast growth factor 9 and keratinocyte growth factor on multiplication and locomotion in human teratocarcinoma cells in vitro.**  
Anticancer Res. 2003 Mar-Apr;23(2B):1313-6.  
PMID: 12820388 [PubMed - indexed for MEDLINE]
-  **11: Kim TE, Lee HS, Lee YB, Hong SH, Lee YS, Ichinose H, Kim SU, Lee MA.** Related Articles, Links
-  **Sonic hedgehog and FGF8 collaborate to induce dopaminergic phenotypes in the Nurr1-overexpressing neural stem cell.**  
Biochem Biophys Res Commun. 2003 Jun 13;305(4):1040-8.  
PMID: 12767935 [PubMed - indexed for MEDLINE]
-  **12: Huang R, Stolte D, Kurz H, Eehalt F, Cann GM, Stockdale FE, Patel K, Christ B.** Related Articles, Links
-  **Ventral axial organs regulate expression of myotomal Fgf-8 that influences rib development.**  
Dev Biol. 2003 Mar 1;255(1):30-47.  
PMID: 12618132 [PubMed - indexed for MEDLINE]
-  **13: Kirby JL, Yang L, Labus JC, Hinton BT.** Related Articles, Links
-  **Characterization of fibroblast growth factor receptors expressed in principal cells in the initial segment of the rat epididymis.**  
Biol Reprod. 2003 Jun;68(6):2314-21. Epub 2003 Feb 05.  
PMID: 12606343 [PubMed - indexed for MEDLINE]
-  **14: Momoi T, Fujita E, Urase K.** Related Articles, Links
-  **Strain-specific caspase-3-dependent programmed cell death in the early developing mouse forebrain.**  
Neuroreport. 2003 Jan 20;14(1):111-5.  
PMID: 12544841 [PubMed - indexed for MEDLINE]
-  **15: Tanaka A, Kamiakito T, Takayashiki N, Sakurai S, Saito K.** Related Articles, Links
-  **Fibroblast growth factor 8 expression in breast carcinoma: associations with androgen receptor and prostate-specific antigen expressions.**  
Virchows Arch. 2002 Oct;441(4):380-4. Epub 2002 Aug 15.  
PMID: 12404063 [PubMed - indexed for MEDLINE]
-  **16: Hansen JM, Gong SG, Philbert M, Harris C.** Related Articles, Links
-  **Misregulation of gene expression in the redox-sensitive NF-kappaB-dependent limb outgrowth pathway by thalidomide.**  
Dev Dyn. 2002 Oct;225(2):186-94.  
PMID: 12242718 [PubMed - indexed for MEDLINE]
-  **17: Pera EM, Kim JJ, Martinez SL, Brechner M, Li SY, Wessely O, De Robertis EM.** Related Articles, Links
-  **Isthmin is a novel secreted protein expressed as part of the Fgf-8 synexpression group in the Xenopus midbrain-hindbrain organizer.**  
Mech Dev. 2002 Aug;116(1-2):169-72.


PMID: 12128218 [PubMed - indexed for MEDLINE]


-  **18:** [Altabef M, Tickle C.](#) [Related Articles, Links](#)  
 **Initiation of dorso-ventral axis during chick limb development.**  
Mech Dev. 2002 Aug;116(1-2):19-27.  
PMID: 12128202 [PubMed - indexed for MEDLINE]
-  **19:** [Kelly KA, Wei Y, Mikawa T.](#) [Related Articles, Links](#)  
 **Cell death along the embryo midline regulates left-right sidedness.**  
Dev Dyn. 2002 Jun;224(2):238-44.  
PMID: 12112476 [PubMed - indexed for MEDLINE]
-  **20:** [Eagleson GW, Dempewolf RD.](#) [Related Articles, Links](#)  
 **The role of the anterior neural ridge and Fgf-8 in early forebrain patterning and regionalization in *Xenopus laevis*.**  
Comp Biochem Physiol B Biochem Mol Biol. 2002 May;132(1):179-89.  
PMID: 11997220 [PubMed - indexed for MEDLINE]
-  **21:** [Mina M, Wang YH, Ivanisevic AM, Upholt WB, Rodgers B.](#) [Related Articles, Links](#)  
 **Region- and stage-specific effects of FGFs and BMPs in chick mandibular morphogenesis.**  
Dev Dyn. 2002 Mar;223(3):333-52.  
PMID: 11891984 [PubMed - indexed for MEDLINE]
-  **22:** [Stolte D, Huang R, Christ B.](#) [Related Articles, Links](#)  
 **Spatial and temporal pattern of Fgf-8 expression during chicken development.**  
Anat Embryol (Berl). 2002 Jan;205(1):1-6.  
PMID: 11875659 [PubMed - indexed for MEDLINE]
-  **23:** [Chalmers AD, Weichman D, Papalopulu N.](#) [Related Articles, Links](#)  
 **Intrinsic differences between the superficial and deep layers of the *Xenopus* ectoderm control primary neuronal differentiation.**  
Dev Cell. 2002 Feb;2(2):171-82.  
PMID: 11832243 [PubMed - indexed for MEDLINE]
-  **24:** [Praul CA, Ford BC, Leach RM.](#) [Related Articles, Links](#)  
 **Effect of fibroblast growth factors 1, 2, 4, 5, 6, 7, 8, 9, and 10 on avian chondrocyte proliferation.**  
J Cell Biochem. 2002;84(2):359-66.  
PMID: 11787065 [PubMed - indexed for MEDLINE]
-  **25:** [Suzuki K, Tokue A, Kamiakito T, Kuriki K, Saito K, Tanaka A.](#) [Related Articles, Links](#)  
 **Predominant expression of fibroblast growth factor (FGF) 8, FGF4, and FGF receptor 1 in nonseminomatous and highly proliferative components of testicular germ cell tumors.**  
Virchows Arch. 2001 Nov;439(5):616-21.  
PMID: 11764380 [PubMed - indexed for MEDLINE]
-  **26:** [Hunter E, Begbie J, Mason J, Graham A.](#) [Related Articles, Links](#)  
 **Early development of the mesencephalic trigeminal nucleus.**  
Dev Dyn. 2001 Nov;222(3):484-93.  
PMID: 11747082 [PubMed - indexed for MEDLINE]
-  **27:** [Valve EM, Ruohola JK, Tasanen MJ, Glover JF, Darbre PD, Harkonen PL.](#) [Related Articles, Links](#)  
 **Expression of the androgen-dependent MMTV-specific orf gene in Shionogi 115 mouse mammary tumor cells.**


J Steroid Biochem Mol Biol. 2001 Nov;78(5):389-400.  
PMID: 11738549 [PubMed - indexed for MEDLINE]


-  **28:** [Jaskoll T, Zhou YM, Chai Y, Makarenkova HP, Collinson JM, West JD, Hajihosseini MK, Lee J, Melnick M.](#) [Related Articles, Links](#)

 Embryonic submandibular gland morphogenesis: stage-specific protein localization of FGFs, BMPs, Pax6 and Pax9 in normal mice and abnormal SMG phenotypes in FgfR2-IIIc(+/-Delta), BMP7(-/-) and Pax6(-/-) mice. Cells Tissues Organs. 2002;170(2-3):83-98.  
PMID: 11731698 [PubMed - indexed for MEDLINE]


-  **29:** [Waldo KL, Kumiski DH, Wallis KT, Stadt HA, Hutson MR, Platt DH, Kirby ML.](#) [Related Articles, Links](#)

 Conotruncal myocardium arises from a secondary heart field. Development. 2001 Aug;128(16):3179-88.  
PMID: 11688566 [PubMed - indexed for MEDLINE]


-  **30:** [Tanaka A, Kamiakito T, Hakamata Y, Fujii A, Kuriki K, Fukayama M.](#) [Related Articles, Links](#)


 Extensive neuronal localization and neurotrophic function of fibroblast growth factor 8 in the nervous system. Brain Res. 2001 Sep 7;912(2):105-15.  
PMID: 11532426 [PubMed - indexed for MEDLINE]


-  **31:** [West AF, O'Donnell M, Charlton RG, Neal DE, Leung HY.](#) [Related Articles, Links](#)

 Correlation of vascular endothelial growth factor expression with fibroblast growth factor-8 expression and clinico-pathologic parameters in human prostate cancer. Br J Cancer. 2001 Aug 17;85(4):576-83.  
PMID: 11506499 [PubMed - indexed for MEDLINE]


-  **32:** [Mina M.](#) [Related Articles, Links](#)


 Morphogenesis of the medial region of the developing mandible is regulated by multiple signaling pathways. Cells Tissues Organs. 2001;169(3):295-301. Review.  
PMID: 11455126 [PubMed - indexed for MEDLINE]


-  **33:** [Cancilla B, Davies A, Cauchi JA, Risbridger GP, Bertram JF.](#) [Related Articles, Links](#)


 Fibroblast growth factor receptors and their ligands in the adult rat kidney. Kidney Int. 2001 Jul;60(1):147-55.  
PMID: 11422746 [PubMed - indexed for MEDLINE]


-  **34:** [Ford-Perriss M, Abud H, Murphy M.](#) [Related Articles, Links](#)











 Fibroblast growth factors in the developing central nervous system. Clin Exp Pharmacol Physiol. 2001 Jul;28(7):493-503. Review.  
PMID: 11422214 [PubMed - indexed for MEDLINE]



















-  **35:** [Mattila MM, Ruohola JK, Valve EM, Tasanen MJ, Seppanen JA, Harkonen PL.](#) [Related Articles, Links](#)




















 FGF-8b increases angiogenic capacity and tumor growth of androgen-regulated S115 breast cancer cells. Oncogene. 2001 May 17;20(22):2791-804.  
PMID: 11420691 [PubMed - indexed for MEDLINE]

-  **36:** [Farrell MJ, Burch JL, Wallis K, Rowley L, Kumiski D, Stadt H, Godt RE, Creazzo TL, Kirby ML.](#) [Related Articles, Links](#)

 FGF-8 in the ventral pharynx alters development of myocardial calcium transients after neural crest ablation. J Clin Invest. 2001 Jun;107(12):1509-17.  
PMID: 11413158 [PubMed - indexed for MEDLINE]

-  **37:** [Valve EM, Nevalainen MT, Nurmi MJ, Laato MK, Martikainen PM, Harkonen PL.](#) [Related Articles, Links](#)  
**Increased expression of FGF-8 isoforms and FGF receptors in human premalignant prostatic intraepithelial neoplasia lesions and prostate cancer.**  
 Lab Invest. 2001 Jun;81(6):815-26.  
 PMID: 11406643 [PubMed - indexed for MEDLINE]
-  **38:** [Ruohola JK, Viitanen TP, Valve EM, Seppanen JA, Laponen NT, Keskitalo JJ, Lakkakorpi PT, Harkonen PL.](#) [Related Articles, Links](#)  
**Enhanced invasion and tumor growth of fibroblast growth factor 8b-overexpressing MCF-7 human breast cancer cells.**  
 Cancer Res. 2001 May 15;61(10):4229-37.  
 PMID: 11358849 [PubMed - indexed for MEDLINE]
-  **39:** [Salas-Vidal E, Valencia C, Covarrubias L.](#) [Related Articles, Links](#)  
**Differential tissue growth and patterns of cell death in mouse limb autopod morphogenesis.**  
 Dev Dyn. 2001 Apr;220(4):295-306.  
 PMID: 11307164 [PubMed - indexed for MEDLINE]
-  **40:** [Kawakami Y, Capdevila J, Buscher D, Itoh T, Rodriguez Esteban C, Izpisua Belmonte JC.](#) [Related Articles, Links](#)  
**WNT signals control FGF-dependent limb initiation and AER induction in the chick embryo.**  
 Cell. 2001 Mar 23;104(6):891-900.  
 PMID: 11290326 [PubMed - indexed for MEDLINE]
-  **41:** [Akiba E, Yonei-Tamura S, Yajima H, Omi M, Tanaka M, Sato-Maeda M, Tamura K, Ide H.](#) [Related Articles, Links](#)  
**Fibroblast growth factor-induced gene expression and cartilage pattern formation in chick limb bud recombinants.**  
 Dev Growth Differ. 2001 Apr;43(2):165-75.  
 PMID: 11284966 [PubMed - indexed for MEDLINE]
-  **42:** [Han MJ, An JY, Kim WS.](#) [Related Articles, Links](#)  
**Expression patterns of Fgf-8 during development and limb regeneration of the axolotl.**  
 Dev Dyn. 2001 Jan;220(1):40-8.  
 PMID: 11146506 [PubMed - indexed for MEDLINE]
-  **43:** [Griffet J, Bastiani-Griffet F, Jund S, Moreigne M, Zabjek KE.](#) [Related Articles, Links](#)  
**Duplication of the leg--renal agenesis: congenital malformation syndrome.**  
 J Pediatr Orthop B. 2000 Oct;9(4):306-8.  
 PMID: 11143475 [PubMed - indexed for MEDLINE]
-  **44:** [Hardcastle Z, Chalmers AD, Papalopulu N.](#) [Related Articles, Links](#)  
**FGF-8 stimulates neuronal differentiation through FGFR-4a and interferes with mesoderm induction in Xenopus embryos.**  
 Curr Biol. 2000 Nov 30;10(23):1511-4.  
 PMID: 11114518 [PubMed - indexed for MEDLINE]
-  **45:** [Mason I, Chambers D, Shamim H, Walshe J, Irving C.](#) [Related Articles, Links](#)  
**Regulation and function of FGF8 in patterning of midbrain and anterior hindbrain.**  
 Biochem Cell Biol. 2000;78(5):577-84.  
 PMID: 11103948 [PubMed - indexed for MEDLINE]
-  **46:** [Dahl JP, Binda A, Canfield VA, Levenson R.](#) [Related Articles, Links](#)

-  **Participation of Na,K-ATPase in FGF-2 secretion: rescue of ouabain-inhibitable FGF-2 secretion by ouabain-resistant Na,K-ATPase alpha subunits.**  
 Biochemistry. 2000 Dec 5;39(48):14877-83.  
 PMID: 11101303 [PubMed - indexed for MEDLINE]
-  **47:** [Mayordomo R, Alvarez IS.](#) Related Articles, Links
-  **Vertical regulation of En-2 expression and eye development by FGFs and BMPs.**  
 J Craniofac Genet Dev Biol. 2000 Apr-Jun;20(2):64-75.  
 PMID: 11100736 [PubMed - indexed for MEDLINE]
-  **48:** [Valve E, Martikainen P, Seppanen J, Oksjoki S, Hinkka S, Anttila L, Grenman S, Klemi P, Harkonen P.](#) Related Articles, Links
-  **Expression of fibroblast growth factor (FGF)-8 isoforms and FGF receptors in human ovarian tumors.**  
 Int J Cancer. 2000 Dec 1;88(5):718-25.  
 PMID: 11072239 [PubMed - indexed for MEDLINE]
-  **49:** [Norlin S, Nordstrom U, Edlund T.](#) Related Articles, Links
-  **Fibroblast growth factor signaling is required for the proliferation and patterning of progenitor cells in the developing anterior pituitary.**  
 Mech Dev. 2000 Sep;96(2):175-82.  
 PMID: 10960782 [PubMed - indexed for MEDLINE]
-  **50:** [Kimura J, Sato-Maeda M, Noji S, Ide H.](#) Related Articles, Links
-  **Synergistic effects of FGF and non-ridge ectoderm on gene expression involved in the formation of the anteroposterior axis of the chick limb bud in cell culture.**  
 Dev Growth Differ. 2000 Jun;42(3):219-27.  
 PMID: 10910128 [PubMed - indexed for MEDLINE]
-  **51:** [Vogel-Hopker A, Momose T, Rohrer H, Yasuda K, Ishihara L, Rapaport DH.](#) Related Articles, Links
-  **Multiple functions of fibroblast growth factor-8 (FGF-8) in chick eye development.**  
 Mech Dev. 2000 Jun;94(1-2):25-36.  
 PMID: 10842056 [PubMed - indexed for MEDLINE]
-  **52:** [Maden M, Graham A, Zile M, Gale E.](#) Related Articles, Links
-  **Abnormalities of somite development in the absence of retinoic acid.**  
 Int J Dev Biol. 2000;44(1):151-9.  
 PMID: 10761860 [PubMed - indexed for MEDLINE]
-  **53:** [Leo BB, Darwish KK, Vainikka SS, Saarikettu JJ, Vihko PP, Hermonen JJ, Goldman AA, Aitalo KK, Jalkanen MM.](#) Related Articles, Links
-  **Production and characterization of the extracellular domain of recombinant human fibroblast growth factor receptor 4.**  
 Int J Biochem Cell Biol. 2000 May;32(5):489-97.  
 PMID: 10736564 [PubMed - indexed for MEDLINE]
-  **54:** [Yokoyama H, Yonei-Tamura S, Endo T, Izpisua Belmonte JC, Tamura K, Ide H.](#) Related Articles, Links
-  **Mesenchyme with fgf-10 expression is responsible for regenerative capacity in Xenopus limb buds.**  
 Dev Biol. 2000 Mar 1;219(1):18-29.  
 PMID: 10677252 [PubMed - indexed for MEDLINE]
-  **55:** [Kubota Y, Ito K.](#) Related Articles, Links

-  Chemotactic migration of mesencephalic neural crest cells in the mouse.  
Dev Dyn. 2000 Feb;217(2):170-9.  
PMID: 10706141 [PubMed - indexed for MEDLINE]
-  **56:** [Roth C, Hinnev B, Peter M, Steinberger D, Lakomek M.](#) [Related Articles, Links](#)
-  Features of Antley-Bixler syndrome in an infant born to a mother with pregnancy luteoma.  
Eur J Pediatr. 2000 Mar;159(3):189-92.  
PMID: 10664233 [PubMed - indexed for MEDLINE]
-  **57:** [Hajihosseini MK, Dickson C.](#) [Related Articles, Links](#)
-  A subset of fibroblast growth factors (Fgfs) promote survival, but Fgf-8b specifically promotes astroglial differentiation of rat cortical precursor cells.  
Mol Cell Neurosci. 1999 Dec;14(6):468-85.  
PMID: 10656254 [PubMed - indexed for MEDLINE]
-  **58:** [Power SC, Lancman J, Smith SM.](#) [Related Articles, Links](#)
-  Retinoic acid is essential for Shh/Hoxd signaling during rat limb outgrowth but not for limb initiation.  
Dev Dyn. 1999 Dec;216(4-5):469-80.  
PMID: 10633866 [PubMed - indexed for MEDLINE]
-  **59:** [Sato B.](#) [Related Articles, Links](#)
-  Can an autocrine loop explain sex-hormone-dependent tumor growth? A brief overview.  
Oncology. 1999 Oct;57 Suppl 2:3-6. Review.  
PMID: 10545797 [PubMed - indexed for MEDLINE]
-  **60:** [Rodriguez Esteban C, Capdevila J, Economides AN, Pascual J, Ortiz A, Izpisua Belmonte JC.](#) [Related Articles, Links](#)
-  The novel Cer-like protein Caronte mediates the establishment of embryonic left-right asymmetry.  
Nature. 1999 Sep 16;401(6750):243-51.  
PMID: 10499580 [PubMed - indexed for MEDLINE]
-  **61:** [Broccoli V, Boncinelli E, Wurst W.](#) [Related Articles, Links](#)
-  The caudal limit of Otx2 expression positions the isthmus organizer.  
Nature. 1999 Sep 9;401(6749):164-8.  
PMID: 10490025 [PubMed - indexed for MEDLINE]
-  **62:** [Mihailescu D, Kury P, Monard D.](#) [Related Articles, Links](#)
-  An octamer-binding site is crucial for the activity of an enhancer active at the embryonic met-/mesencephalic junction.  
Mech Dev. 1999 Jun;84(1-2):55-67.  
PMID: 10473120 [PubMed - indexed for MEDLINE]
-  **63:** [Sakurada K, Ohshima-Sakurada M, Palmer TD, Gage FH.](#) [Related Articles, Links](#)
-  Nurr1, an orphan nuclear receptor, is a transcriptional activator of endogenous tyrosine hydroxylase in neural progenitor cells derived from the adult brain.  
Development. 1999 Sep;126(18):4017-26.  
PMID: 10457011 [PubMed - indexed for MEDLINE]
-  **64:** [Hu MC, Wang YP, Qiu WR.](#) [Related Articles, Links](#)
-  Human fibroblast growth factor-18 stimulates fibroblast cell proliferation and is mapped to chromosome 14p11.  
Oncogene. 1999 Apr 22;18(16):2635-42.

PMID: 10353607 [PubMed - indexed for MEDLINE]

- ☐ **65:** [Mark RJ, Fuson KS, Keane-Lazar K, May PC.](#) Related Articles, Links



**Fibroblast growth factor-8 protects cultured rat hippocampal neurons from oxidative insult.**

Brain Res. 1999 May 29;830(1):88-93.

PMID: 10350562 [PubMed - indexed for MEDLINE]

- ☐ **66:** [Jung HS, Oropeza V, Thesleff I.](#) Related Articles, Links



**Shh, Bmp-2, Bmp-4 and Fgf-8 are associated with initiation and patterning of mouse tongue papillae.**

Mech Dev. 1999 Mar;81(1-2):179-82.

PMID: 10330496 [PubMed - indexed for MEDLINE]

- ☐ **67:** [Stratford T, Logan C, Zile M, Maden M.](#) Related Articles, Links



**Abnormal anteroposterior and dorsoventral patterning of the limb bud in the absence of retinoids.**

Mech Dev. 1999 Mar;81(1-2):115-25.

PMID: 10330489 [PubMed - indexed for MEDLINE]

- ☐ **68:** [Barlow AJ, Bogardi JP, Ladher R, Francis-West PH.](#) Related Articles, Links



**Expression of chick Barx-1 and its differential regulation by FGF-8 and BMP signaling in the maxillary primordia.**

Dev Dyn. 1999 Apr;214(4):291-302.

PMID: 10213385 [PubMed - indexed for MEDLINE]

- ☐ **69:** [Makarenkova H, Patel K.](#) Related Articles, Links



**Gap junction signalling mediated through connexin-43 is required for chick limb development.**

Dev Biol. 1999 Mar 15;207(2):380-92.

PMID: 10068470 [PubMed - indexed for MEDLINE]

- ☐ **70:** [Kawakami Y, Nohno T.](#) Related Articles, Links



**[Signaling molecules involved in induction and early patterning of limb buds]**

Kaibogaku Zasshi. 1998 Dec;73(6):655-66. Review. Japanese.

PMID: 9990203 [PubMed - indexed for MEDLINE]

- ☐ **71:** [Yao DL, Masonic K, Petullo D, Li LY, Lincoln C, Wibberley L, Alderson RF, Antonaccio M.](#) Related Articles, Links



**Pretreatment with intravenous FGF-13 reduces infarct volume and ameliorates neurological deficits following focal cerebral ischemia in rats.**

Brain Res. 1999 Feb 6;818(1):140-6.

PMID: 9914447 [PubMed - indexed for MEDLINE]

- ☐ **72:** [Tucker AS, Al Khamis A, Ferguson CA, Bach I, Rosenfeld MG, Sharpe PT.](#) Related Articles, Links



**Conserved regulation of mesenchymal gene expression by Fgf-8 in face and limb development.**

Development. 1999 Jan;126(2):221-8.

PMID: 9847236 [PubMed - indexed for MEDLINE]

- ☐ **73:** [Tucker AS, Yamada G, Grigoriou M, Pachnis V, Sharpe PT.](#) Related Articles, Links












**Fgf-8 determines rostral-caudal polarity in the first branchial arch.**

Development. 1999 Jan;126(1):51-61.

PMID: 9834185 [PubMed - indexed for MEDLINE]

- ☐ **74:** [Min H, Danilenko DM, Scully SA, Bolon B, Ring BD, Tarpley JE, DeRose M, Simonet WS.](#) Related Articles, Links



-  **Fgf-10 is required for both limb and lung development and exhibits striking functional similarity to Drosophila branchless.**  
Genes Dev. 1998 Oct 15;12(20):3156-61.  
PMID: 9784490 [PubMed - indexed for MEDLINE]
- ☐ **75:** [Saric T, Shain SA.](#) Related Articles, Links
-  **Androgen regulation of prostate cancer cell FGF-1, FGF-2, and FGF-8: preferential down-regulation of FGF-2 transcripts.**  
Growth Factors. 1998;16(1):69-87.  
PMID: 9777371 [PubMed - indexed for MEDLINE]
- ☐ **76:** [Greene JM, Li YL, Yourey PA, Gruber J, Carter KC, Shell BK, Dillon PA, Florence C, Duan DR, Blunt A, Ornitz DM, Ruben SM, Alderson RF.](#) Related Articles, Links
-  **Identification and characterization of a novel member of the fibroblast growth factor family.**  
Eur J Neurosci. 1998 May;10(5):1911-25.  
PMID: 9751161 [PubMed - indexed for MEDLINE]
- ☐ **77:** [Hu MC, Qiu WR, Wang YP, Hill D, Ring BD, Scully S, Bolon B, DeRose M, Luchty R, Simonet WS, Arakawa T, Danilenko DM.](#) Related Articles, Links
-  **FGF-18, a novel member of the fibroblast growth factor family, stimulates hepatic and intestinal proliferation.**  
Mol Cell Biol. 1998 Oct;18(10):6063-74.  
PMID: 9742123 [PubMed - indexed for MEDLINE]
- ☐ **78:** [Hara K, Kimura J, Ide H.](#) Related Articles, Links
-  **Effects of FGFs on the morphogenic potency and AER-maintenance activity of cultured progress zone cells of chick limb bud.**  
Int J Dev Biol. 1998 May;42(4):591-9.  
PMID: 9694630 [PubMed - indexed for MEDLINE]
- ☐ **79:** [Lovicu FJ, Overbeek PA.](#) Related Articles, Links
-  **Overlapping effects of different members of the FGF family on lens fiber differentiation in transgenic mice.**  
Development. 1998 Sep;125(17):3365-77.  
PMID: 9693140 [PubMed - indexed for MEDLINE]
- ☐ **80:** [Kettunen P, Karavanova I, Thesleff I.](#) Related Articles, Links
-  **Responsiveness of developing dental tissues to fibroblast growth factors: expression of splicing alternatives of FGFR1, -2, -3, and of FGFR4; and stimulation of cell proliferation by FGF-2, -4, -8, and -9.**  
Dev Genet. 1998;22(4):374-85.  
PMID: 9664689 [PubMed - indexed for MEDLINE]
- ☐ **81:** [Ohbayashi N, Hoshikawa M, Kimura S, Yamasaki M, Fukui S, Itoh N.](#) Related Articles, Links
-  **Structure and expression of the mRNA encoding a novel fibroblast growth factor, FGF-18.**  
J Biol Chem. 1998 Jul 17;273(29):18161-4.  
PMID: 9660775 [PubMed - indexed for MEDLINE]
- ☐ **82:** [Bell SM, Schreiner CM, Scott WJ.](#) Related Articles, Links
-  **The loss of ventral ectoderm identity correlates with the inability to form an AER in the legless hindlimb bud.**  
Mech Dev. 1998 Jun;74(1-2):41-50.  
PMID: 9651475 [PubMed - indexed for MEDLINE]
- ☐ **83:** [Tanaka A, Furuya A, Yamasaki M, Hanai N, Kuriki K, Kamiakito](#) Related Articles, Links

T. Kobayashi Y. Yoshida H. Koike M. Fukayama M.



**High frequency of fibroblast growth factor (FGF) 8 expression in clinical prostate cancers and breast tissues, immunohistochemically demonstrated by a newly established neutralizing monoclonal antibody against FGF 8.**  
Cancer Res. 1998 May 15;58(10):2053-6.  
PMID: 9605740 [PubMed - indexed for MEDLINE]

☐ **84:** McGonnell IM, Clarke JD, Tickle C.

[Related Articles, Links](#)



**Fate map of the developing chick face: analysis of expansion of facial primordia and establishment of the primary palate.**  
Dev Dyn. 1998 May;212(1):102-18.  
PMID: 9603428 [PubMed - indexed for MEDLINE]

☐ **85:** Canatan H, Lin YC.

[Related Articles, Links](#)



**Nucleotide sequence of canine fibroblast growth factor-8 (FGF-8)**  
In Vitro Cell Dev Biol Anim. 1998 Apr;34(4):278-9. No abstract available.  
PMID: 9590499 [PubMed - indexed for MEDLINE]

☐ **86:** Ganan Y, Macias D, Basco RD, Merino R, Hurlle JM.

[Related Articles, Links](#)



**Morphological diversity of the avian foot is related with the pattern of msx gene expression in the developing autopod.**  
Dev Biol. 1998 Apr 1;196(1):33-41.  
PMID: 9527879 [PubMed - indexed for MEDLINE]

☐ **87:** Yokoyama H, Endo T, Tamura K, Yajima H, Ide H.

[Related Articles, Links](#)



**Multiple digit formation in Xenopus limb bud recombinants.**  
Dev Biol. 1998 Apr 1;196(1):1-10.  
PMID: 9527876 [PubMed - indexed for MEDLINE]

☐ **88:** Sherman L, Wainwright D, Ponta H, Herrlich P.

[Related Articles, Links](#)



**A splice variant of CD44 expressed in the apical ectodermal ridge presents fibroblast growth factors to limb mesenchyme and is required for limb outgrowth.**  
Genes Dev. 1998 Apr 1;12(7):1058-71.  
PMID: 9531542 [PubMed - indexed for MEDLINE]

☐ **89:** Kettunen P, Thesleff I.

[Related Articles, Links](#)



**Expression and function of FGFs-4, -8, and -9 suggest functional redundancy and repetitive use as epithelial signals during tooth morphogenesis.**  
Dev Dyn. 1998 Mar;211(3):256-68.  
PMID: 9520113 [PubMed - indexed for MEDLINE]

☐ **90:** Hoshikawa M, Ohbayashi N, Yonamine A, Konishi M, Ozaki K, Fukui S, Itoh N.

[Related Articles, Links](#)



**Structure and expression of a novel fibroblast growth factor, FGF-17, preferentially expressed in the embryonic brain.**  
Biochem Biophys Res Commun. 1998 Mar 6;244(1):187-91.  
PMID: 9514906 [PubMed - indexed for MEDLINE]

☐ **91:** Wassef M, Joyner AL.





















[Related Articles, Links](#)





















**Early mesencephalon/metencephalon patterning and development of the cerebellum.**  
Perspect Dev Neurobiol. 1997;5(1):3-16. Review.  
PMID: 9509514 [PubMed - indexed for MEDLINE]

☐ **92:** Hara K, Ide H.

[Related Articles, Links](#)

-  **Msx1 expressing mesoderm is important for the apical ectodermal ridge (AER)-signal transfer in chick limb development.**  
Dev Growth Differ. 1997 Dec;39(6):705-14.  
PMID: 9493830 [PubMed - indexed for MEDLINE]
-  **93: Christen B, Slack JM.** [Related Articles, Links](#)
-  **FGF-8 is associated with anteroposterior patterning and limb regeneration in *Xenopus*.**  
Dev Biol. 1997 Dec 15;192(2):455-66.  
PMID: 9441681 [PubMed - indexed for MEDLINE]
-  **94: Seto ML, Nunes ME, MacArthur CA, Cunningham ML.** [Related Articles, Links](#)
-  **Pathogenesis of ectrodactyly in the Dactylaplasia mouse: aberrant cell death of the apical ectodermal ridge.**  
Teratology. 1997 Oct;56(4):262-70.  
PMID: 9408977 [PubMed - indexed for MEDLINE]
-  **95: Wu J, Payson RA, Lang JC, Chiu IM.** [Related Articles, Links](#)
-  **Activation of fibroblast growth factor 8 gene expression in human embryonal carcinoma cells.**  
J Steroid Biochem Mol Biol. 1997 May;62(1):1-10.  
PMID: 9366493 [PubMed - indexed for MEDLINE]
-  **96: Acampora D, Avantaggiato V, Tuorto F, Simeone A.** [Related Articles, Links](#)
-  **Genetic control of brain morphogenesis through Otx gene dosage requirement.**  
Development. 1997 Sep;124(18):3639-50.  
PMID: 9342056 [PubMed - indexed for MEDLINE]
-  **97: Furthauer M, Thisse C, Thisse B.** [Related Articles, Links](#)
-  **A role for FGF-8 in the dorsoventral patterning of the zebrafish gastrula.**  
Development. 1997 Nov;124(21):4253-64.  
PMID: 9334274 [PubMed - indexed for MEDLINE]
-  **98: Fernandez-Teran M, Piedra ME, Simandl BK, Fallon JF, Ros MA.** [Related Articles, Links](#)
-  **Limb initiation and development is normal in the absence of the mesonephros.**  
Dev Biol. 1997 Sep 15;189(2):246-55.  
PMID: 9299117 [PubMed - indexed for MEDLINE]
-  **99: Richman JM, Herbert M, Matovinovic E, Walin J.** [Related Articles, Links](#)
-  **Effect of fibroblast growth factors on outgrowth of facial mesenchyme.**  
Dev Biol. 1997 Sep 1;189(1):135-47.  
PMID: 9281343 [PubMed - indexed for MEDLINE]
-  **100: Dealy CN.** [Related Articles, Links](#)
-  **Hensen's node provides an endogenous limb-forming signal.**  
Dev Biol. 1997 Aug 15;188(2):216-23.  
PMID: 9268570 [PubMed - indexed for MEDLINE]
-  **101: Logan C, Hornbruch A, Campbell I, Lumsden A.** [Related Articles, Links](#)
-  **The role of Engrailed in establishing the dorsoventral axis of the chick limb.**  
Development. 1997 Jun;124(12):2317-24.  
PMID: 9199358 [PubMed - indexed for MEDLINE]
-  **102: Valve E, Penttila TL, Paranko J, Harkonen P.** [Related Articles, Links](#)

-  FGF-8 is expressed during specific phases of rodent oocyte and spermatogonium development.  
Biochem Biophys Res Commun. 1997 Mar 6;232(1):173-7.  
PMID: 9125125 [PubMed - indexed for MEDLINE]
-  **103:** Blunt AG, Lawshe A, Cunningham ML, Seto ML, Ornitz DM, MacArthur CA. [Related Articles](#), [Links](#)
-  Overlapping expression and redundant activation of mesenchymal fibroblast growth factor (FGF) receptors by alternatively spliced FGF-8 ligands.  
J Biol Chem. 1997 Feb 7;272(6):3733-8.  
PMID: 9013630 [PubMed - indexed for MEDLINE]
-  **104:** Raas-Rothschild A, Manouvrier S, Gonzales M, Farriaux JP, Lyonnet S, Munnich A. [Related Articles](#), [Links](#)
-  Refined mapping of a gene for split hand-split foot malformation (SHFM3) on chromosome 10q25.  
J Med Genet. 1996 Dec;33(12):996-1001.  
PMID: 9004130 [PubMed - indexed for MEDLINE]
-  **105:** Ozawa K, Uruno T, Miyakawa K, Seo M, Imamura T. [Related Articles](#), [Links](#)
-  Expression of the fibroblast growth factor family and their receptor family genes during mouse brain development.  
Brain Res Mol Brain Res. 1996 Sep 5;41(1-2):279-88.  
PMID: 8883961 [PubMed - indexed for MEDLINE]
-  **106:** Stratford T, Horton C, Maden M. [Related Articles](#), [Links](#)
-  Retinoic acid is required for the initiation of outgrowth in the chick limb bud.  
Curr Biol. 1996 Sep 1;6(9):1124-33.  
PMID: 8805369 [PubMed - indexed for MEDLINE]
-  **107:** Ros MA, Lopez-Martinez A, Simandl BK, Rodriguez C, Izpisua Belmonte JC, Dahn R, Fallon JF. [Related Articles](#), [Links](#)
-  The limb field mesoderm determines initial limb bud anteroposterior asymmetry and budding independent of sonic hedgehog or apical ectodermal gene expressions.  
Development. 1996 Aug;122(8):2319-30.  
PMID: 8756277 [PubMed - indexed for MEDLINE]
-  **108:** Payson RA, Wu J, Liu Y, Chiu IM. [Related Articles](#), [Links](#)
-  The human FGF-8 gene localizes on chromosome 10q24 and is subjected to induction by androgen in breast cancer cells.  
Oncogene. 1996 Jul 4;13(1):47-53.  
PMID: 8700553 [PubMed - indexed for MEDLINE]
-  **109:** Gemel J, Gorry M, Ehrlich GD, MacArthur CA. [Related Articles](#), [Links](#)
-  Structure and sequence of human FGF8.  
Genomics. 1996 Jul 1;35(1):253-7.  
PMID: 8661131 [PubMed - indexed for MEDLINE]
-  **110:** Vogel A, Rodriguez C, Izpisua-Belmonte JC. [Related Articles](#), [Links](#)
-  Involvement of FGF-8 in initiation, outgrowth and patterning of the vertebrate limb.  
Development. 1996 Jun;122(6):1737-50.  
PMID: 8674413 [PubMed - indexed for MEDLINE]
-  **111:** Yoshimura K, Eto H, Miyake H, Hara I, Arakawa S, Kamidono S. [Related Articles](#), [Links](#)



Messenger ribonucleic acids for fibroblast growth factors and their receptor in bladder and renal cell carcinoma cell lines.

Cancer Lett. 1996 May 15;103(1):91-7.

PMID: 8616814 [PubMed - indexed for MEDLINE]



**112:** [Hannon K, Kudla AJ, McAvoy MJ, Clase KL, Olwin BB.](#)

[Related Articles, Links](#)



Differentially expressed fibroblast growth factors regulate skeletal muscle development through autocrine and paracrine mechanisms.

J Cell Biol. 1996 Mar;132(6):1151-9.

PMID: 8601591 [PubMed - indexed for MEDLINE]



**113:** [Schmitt JE, Hearn MT, Risbridger GP.](#)

[Related Articles, Links](#)



Expression of fibroblast growth factor-8 in adult rat tissues and human prostate carcinoma cells.

J Steroid Biochem Mol Biol. 1996 Feb;57(3-4):173-8.

PMID: 8645626 [PubMed - indexed for MEDLINE]



**114:** [Sheikh H, Mason I.](#)

[Related Articles, Links](#)



Polarising activity of FGF-8 in the avian midbrain.

Int J Dev Biol. 1996;Suppl 1:117S-118S. No abstract available.

PMID: 9087723 [PubMed - indexed for MEDLINE]



**115:** [Hofmann C, Luo G, Balling R, Karsenty G.](#)

[Related Articles, Links](#)



Analysis of limb patterning in BMP-7-deficient mice.

Dev Genet. 1996;19(1):43-50.

PMID: 8792608 [PubMed - indexed for MEDLINE]



**116:** [Haramis AG, Brown JM, Zeller R.](#)

[Related Articles, Links](#)



The limb deformity mutation disrupts the SHH/FGF-4 feedback loop and regulation of 5' HoxD genes during limb pattern formation.

Development. 1995 Dec;121(12):4237-45.

PMID: 8575323 [PubMed - indexed for MEDLINE]



**117:** [Wall NA, Hogan BL.](#)

[Related Articles, Links](#)



Expression of bone morphogenetic protein-4 (BMP-4), bone morphogenetic protein-7 (BMP-7), fibroblast growth factor-8 (FGF-8) and sonic hedgehog (SHH) during branchial arch development in the chick.

Mech Dev. 1995 Nov;53(3):383-92.

PMID: 8645604 [PubMed - indexed for MEDLINE]



**118:** [MacArthur CA, Lawshe A, Xu J, Santos-Ocampo S, Heikinheimo M, Chellaiyah AT, Ornitz DM.](#)

[Related Articles, Links](#)



FGF-8 isoforms activate receptor splice forms that are expressed in mesenchymal regions of mouse development.

Development. 1995 Nov;121(11):3603-13.

PMID: 8582274 [PubMed - indexed for MEDLINE]



**119:** [Mahmood R, Bresnick J, Hornbruch A, Mahony C, Morton N, Colquhoun K, Martin P, Lumsden A, Dickson C, Mason I.](#)

[Related Articles, Links](#)



A role for FGF-8 in the initiation and maintenance of vertebrate limb bud outgrowth.

Curr Biol. 1995 Jul 1;5(7):797-806.

PMID: 7583127 [PubMed - indexed for MEDLINE]



**120:** [MacArthur CA, Lawshe A, Shankar DB, Heikinheimo M, Shackleford GM.](#)

[Related Articles, Links](#)



FGF-8 isoforms differ in NIH3T3 cell transforming potential.

Cell Growth Differ. 1995 Jul;6(7):817-25.

PMID: 7547503 [PubMed - indexed for MEDLINE]

- ☐ **121:** [Lorenzi MV, Long JE, Miki T, Aaronson SA.](#) [Related Articles, Links](#)



Expression cloning, developmental expression and chromosomal localization of fibroblast growth factor-8.

Oncogene. 1995 May 18;10(10):2051-5.

PMID: 7761105 [PubMed - indexed for MEDLINE]

- ☐ **122:** [Ruohola JK, Valve EM, Vainikka S, Alitalo K, Harkonen PL.](#) [Related Articles, Links](#)



Androgen and fibroblast growth factor (FGF) regulation of FGF receptors in S115 mouse mammary tumor cells.

Endocrinology. 1995 May;136(5):2179-88.

PMID: 7536664 [PubMed - indexed for MEDLINE]

- ☐ **123:** [MacArthur CA, Shankar DB, Shackleford GM.](#) [Related Articles, Links](#)



Fgf-8, activated by proviral insertion, cooperates with the Wnt-1 transgene in murine mammary tumorigenesis.

J Virol. 1995 Apr;69(4):2501-7.

PMID: 7884899 [PubMed - indexed for MEDLINE]

- ☐ **124:** [Heikinheimo M, Lawshe A, Shackleford GM, Wilson DB, MacArthur CA.](#) [Related Articles, Links](#)



Fgf-8 expression in the post-gastrulation mouse suggests roles in the development of the face, limbs and central nervous system.

Mech Dev. 1994 Nov;48(2):129-38.

PMID: 7873403 [PubMed - indexed for MEDLINE]

- ☐ **125:** [Ohuchi H, Yoshioka H, Tanaka A, Kawakami Y, Nohno T, Noji S.](#) [Related Articles, Links](#)



Involvement of androgen-induced growth factor (FGF-8) gene in mouse embryogenesis and morphogenesis.

Biochem Biophys Res Commun. 1994 Oct 28;204(2):882-8.

PMID: 7980556 [PubMed - indexed for MEDLINE]

- ☐ **126:** [Goncharova VP.](#) [Related Articles, Links](#)



[Fibroblast growth factors (a short review)]

Fiziol Zh Im I M Sechenova. 1994 Sep;80(9):163-74. Review. Russian.

PMID: 7536575 [PubMed - indexed for MEDLINE]

- ☐ **127:** [Westphal M, Brunken M, Rohde E, Hermann HD.](#) [Related Articles, Links](#)



Growth factors in cultured human glioma cells: differential effects of FGF, EGF and PDGF.

Cancer Lett. 1988 Jan;38(3):283-96.

PMID: 3258178 [PubMed - indexed for MEDLINE]

Display  Show:       
 Items 1-127 of 127 One page.

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:43